

Fantastic-Color

Fantastic worlds of colour –
enchant your customers



Hesse Lignal
inspiring you



- Can be applied directly to MDF edges without using special insulations and fillers
- Lacquer sanding is possible after only 2 h / 20 °C, ensuring high levels of productivity
- Good metalmarking resistance, meaning that the clear top coat can be omitted in many cases
- IMO-certified

SARIS Coatings

www.sariscoatings.com

Fantastic-Color

In one single work step, up to 60% more material can be applied to vertical surfaces than with similar coloured lacquers.

This saves both time and effort, as the desired result is achieved faster. Combined with a 40 % higher opacity and around 25% higher solids content than UNA COLOR, you can achieve a lacquered surface that captivates the senses with very little effort, even with tricky colour tones. You can see, feel and hear* the difference.

* Furniture surfaces do not just have a visual effect – they have a tactile one, too. Gently stroking the surface of the furniture not only speaks to your sense of touch, but also generates a quiet noise that gives a strong impression of quality, even if this happens on a subconscious level. With FANTASTIC-COLOR, these sensations are balanced perfectly.



Product description:

Hesse FANTASTIC-COLOR is a pigmented, light-fast and very well-balanced two-component PU acrylic resin lacquer with impressive opacity and a fast drying time. The product's particular distinguishing features are its outstanding ability to stay on vertical surfaces together with excellent levelling on horizontal surfaces. Good metalmarking resistance and scratch resistance are achieved once dried. Hesse FANTASTIC-COLOR is suitable for top coating in almost all colour tones and is therefore the ideal coloured lacquer for very sophisticated and high-quality coloured lacquer finishes with an impressive feel. FANTASTIC-COLOR can also be applied directly to sanded raw MDF edges and surfaces, further expanding its range of applications.

Fields of application:

For all interior fixtures, including heavily used areas such as the kitchen and bathroom. Extremely suitable as a coloured lacquer for coatings on MDF and priming foils. Not suitable for applications within the scope of the ChemVOCFarbV (German ordinance on solvent-based paints and varnishes) or of EU Directive 2004/42/EC (Decopaint).

“With the FANTASTIC family, almost 100 % of all surface requirements in interior design can be covered.”

Fields of application	Ground	1. Layer	2. Layer	3. Layer	4. Layer
Natural matt raw wood effect	e.g. oak	FANTASTIC-NATURA	FANTASTIC-NATURA		
Low wood accentuation from ultra matt to silk gloss	e.g. oak	FANTASTIC-NATURA	FANTASTIC-NATURA	FANTASTIC-CLEAR or FANTASTIC-CLEAR dull matt	
Direct coating with coloured lacquer, MDF-foiled with raw edges	MDF-foiled	FANTASTIC-COLOR	FANTASTIC-COLOR		
Classic colour lacquer application on raw MDF	MDF raw	FANTASTIC-FILL	FANTASTIC-FILL	FANTASTIC-COLOR	
Premium-quality colour lacquer finish on MDF foil with raw edges and transparent final lacquer finish	MDF-foiled	FANTASTIC-FILL	FANTASTIC-FILL	FANTASTIC-COLOR	FANTASTIC-CLEAR
Open-pore colour lacquer finish on natural wood	e.g. ash	FANTASTIC-COLOR	FANTASTIC-COLOR		
Transparent lacquer on natural wood	e.g. oak	FANTASTIC-CLEAR or FANTASTIC-CLEAR dull matt	FANTASTIC-CLEAR or FANTASTIC-CLEAR dull matt		
Transparent lacquer on stained substrate	e.g. walnut stained	FANTASTIC-CLEAR	FANTASTIC-CLEAR	FANTASTIC-CLEAR	
Transparent coating on bleached substrate	e.g. maple bleached	FANTASTIC-CLEAR	FANTASTIC-CLEAR	FANTASTIC-CLEAR	
Glazing lacquer finish on natural wood	e.g. beech	FANTASTIC-CLEAR	FANTASTIC-CLEAR + colouration with FANTASTIC-COLOR	FANTASTIC-CLEAR + colouration with FANTASTIC-COLOR	

The key product properties are set out here in a direct comparison with competitors.

Opacity

Application quantity under laboratory conditions with 100 µ each of Hesse FANTASTIC-COLOR achieves coverage of 97.6% in comparison with the competition's coverage of 94.4%.



Hesse FANTASTIC-COLOR



Competitor A

Vertical surfaces

Flow behaviour with squeegee application under standard conditions of 75 µ to 300 µ



Hesse FANTASTIC-COLOR



Competitor R

Metalmarking resistance

Metalmarking resistance determines the metal abrasion on white or pastel-coloured surfaces.



Hesse FANTASTIC-COLOR



Competitor Z

Drying

Rapid intermediate drying of two hours with FANTASTIC-COLOR coloured lacquers.



Hesse FANTASTIC-COLOR



Competitor

*The letters correspond to an internal code from a comparison of numerous competitive products that Hesse-Lignal analysed when developing FANTASTIC-COLOR. The development process itself was based on the results of a survey of several hundred carpenters/joiners.

Hesse mixing system

Paint Express –
your on-site paint factory



Hesse Lignal
inspiring you

With Hesse mixing systems, you can mix colour tones in a wide range of lacquer or stain qualities. Perfect for users who change colours frequently.



X-Smart
for water-based mixing lacquers



HA 450 for solvent and
water-based mixing lacquers

- Fast and easily reproducible
- A range of mixing concepts: from manual to automatic
- Fast and extremely versatile
- Production of stains, coloured lacquers, effect lacquers and coloured oils
- For hydro and solvent systems
- For wood, glass, plastic, metal
- Proprietary formulation software Paint Express 3.0
- Over 10,000 coloured lacquer formulas in the customary colour cards